

1/9




Indicators	1 -1,1,-1 -1,1,1,x,, x -1,-1,1,x,, x
# indicator symbols	1 3 7 12
# symbols to # indicator address symbols	0 m n o
# combi- nations	4941
# avail symbols	3 6 9 12
# bad bytes	T 2 & 4

2/9



Title: METHOD AND APPARATUS FOR DC-LEVEL CONSTRAINED CODING Inventor: Oberg, Mats Atty. Ref.: MP0085C1



Title: METHOD AND APPARATUS FOR DC-LEVEL CONSTRAINED CODING Inventor: Oberg, Mats Atty. Ref.: MP0085C1

4/9

"Bad Code Words	Indicator	Address	Code Word
			{A,B,-1,C,D}
4	1	1-1-	{B,1,-1,-1,Enc(A),1,C,D}
m	1	-1,1	{A,1,-1,1,Enc(B),1,C,D}
O	1	1-1	{A,1,-1,-1,Enc(C),1,B,D}
۵	٢	1,1	{A,1,-1,-1,Enc(D),1,B,C}
A.B	-1,1,-1	1,-1,-1	{C,-1,1,-1,Enc(A),1,1,-1,-1,Enc(B),D}
A,C	1,1,1	-1,1,-1	{B,-1,1,-1,Enc(A),1,-1,1,-1,Enc(C),D}
A,D	-1,1,-1	-1,-1,1	{B,-1,1,-1,Enc(A),1,-1,-1,Enc(D),C}
B,C	-1,1,-1	1,1,-1	{A,-1,1,-1,Enc(B),1,1,1,-1,Enc(C),D}
B,D	-1,1,-1	1,-1,1	{A,-1,1,-1,Enc(B),1,1,-1,Enc(D),C}
C'D	-1,1,-1	-1,1,1	{A,-1,1,-1,Enc(C),1,-1,1,1,Enc(D),B}
A,B,C	-1,1,1,-1 (3)	1,1	{Enc(A),-x,1,1,-1,1,1,Enc(B),1,-1,-x,x,Enc(C),D}
A,B,D	-1,1,1,-1 (3)	1,-1	{Enc(A),-x,1,-1,-1,1,Enc(B),1,-1,-x,x,Enc(D),C}
A,C,D	-1,1,1,-1 (3)	-1,1	{Enc(A),-x,-1,1,-1,1,Enc(C),1,-1,-x,x,Enc(D),B}
B,C,D	-1,1,1,-1 (3)	-1,-1	{Enc(B),-1,-1,-1,1,1,Enc(C),1,-1,-x,x,Enc(D),A}
A,B,C,D	-1,1,1,1 (8)	•	{Enc(A),1,-1,1,-1,1,Enc(B),1,1,-x,x,Enc(C),Enc(D),x,x,x}


Title: METHOD AND APPARATUS FOR DC-LEVEL CONSTRAINED CODING Inventor: Qberg, Mats Atty. Ref.: MP0085C1

5/9

Input Byte	Output Word
1,1,1,1,1,1,-1	1,1,1,-1,1
1,1,1,1,1,-1,1	1,-1,1,1,-1
1,1,1,1,1,1,1	-1,1,-1,1
1,1,1,1,1,1,1	1,1,1,-1
1,1,1,1,1,1,1	1,1,-1,1,-1
1,1,1,1,1,1,1	1,1,-1,-1,1
1,-1,1,1,1,1	-1,1,1,1-1
-1,1,1,1,1,1,1	-1,1,1,-1,1
1,1,1,1,1,1,1	-1,1,-1,1
1,-1,1,-1,1,-1,1,-1	1,-1,-1,1


Inventor: Oberg, Mats Atty. Ref.: MP0085C1

6/9




Title: METHOD AND APPARATUS FOR DC-LEVEL CONSTRAINED CODING Inventor: Oberg, Mats . Atty. Ref.: MP0085C1

7/9



8/9



9/9

